ELSEVIER

Brain Research Bulletin 68 (2006) 482–485

BRAIN
RESEARCH
BULLETIN

w.elsevier.com/locate/brainresbull

Contents of Volume 68

Special Issue

Proceedings of the 14th and 15th Meetings of the European Network for CNS Transplantation and Repair (NECTAR)

Introduction

Brain repair: Moving along.
Rosser, A. 1

Dyskinesias and dopamine cell replacement in Parkinson's disease: a clinical perspective.
Hagell, P., and M.A. Cenci 4

Validation of the L-dopa-induced dyskinesia in the 6-OHDA model and evaluation of the effects of selective dopamine receptor agonists and antagonists.
Monville, C., E.M. Torres, and S.B. Dunnett 16

The Corridor Task: A simple test of lateralised response selection sensitive to unilateral dopamine deafferentation and graft-derived dopamine replacement in the striatum.
Dowd, E., C. Monville, E.M. Torres, and S.B. Dunnett 24

Delivery of sonic hedgehog or glial derived neurotrophic factor to dopamine-rich grafts in a rat model of Parkinson's disease using adenoviral vectors. Increased yield of dopamine cells is dependent on embryonic donor age.
Torres, E.M., C. Monville, P.R. Lowenstein, M.G. Castro, and S.B. Dunnett 31

The GDNF family members neurturin, artemin and persephin promote the morphological differentiation of cultured ventral mesencephalic dopaminergic neurons.
Zihlmann, K.B., A.D. Ducray, B. Schaller, A.W. Huber, S.H. Krebs, R.H. Andres, R.W. Seiler, M. Meyer, and H.R. Widmer 42

Evidence for dopaminergic re-innervation by embryonic allografts in an optimized rat model of the Parkinsonian variant of multiple system atrophy.
Puschban, Z., N. Stefanova, Å. Petersén, C. Winkler, P. Brundin, W. Poewe, and G.K. Wenning 54

Co-registration of stereotactic MRI and isofieldlines during deep brain stimulation.
Hemm, S., G. Mennessier, N. Vayssière, L. Cif, and P. Coubes 59

Neural differentiation of mouse embryonic stem cells in chemically defined medium.
Bouhon, I.A., H. Kato, S. Chandran, and N.D. Allen 62

Human embryonic germ cells for future neuronal replacement therapy.
Turnpenny, L., I.T. Cameron, C.M. Spalluto, K.P. Hanley, D.I. Wilson, and N.A. Hanley 76

EGF and FGF-2 responsiveness of rat and mouse neural precursors derived from the embryonic CNS.
Kelly, C.M., P. Tyers, M. ter Borg, C.N. Svendsen, S.B. Dunnett, and A.E. Rosser 83

Astrocytic and neuronal fate of mesenchymal stem cells expressing nestin.
Wislet-Gendebien, S., F. Wautier, P. Leprince, and B. Rogister 95

doi:10.1016/S0361-9230(06)00017-7

ELSEVIER

Brain Research Bulletin 68 (2006) 482–485

BRAIN
RESEARCH
BULLETIN

w.elsevier.com/locate/brainresbull

Contents of Volume 68

Special Issue

Proceedings of the 14th and 15th Meetings of the European Network for CNS Transplantation and Repair (NECTAR)

Introduction

Brain repair: Moving along.
Rosser, A. 1

Dyskinesias and dopamine cell replacement in Parkinson's disease: a clinical perspective.
Hagell, P., and M.A. Cenci 4

Validation of the L-dopa-induced dyskinesia in the 6-OHDA model and evaluation of the effects of selective dopamine receptor agonists and antagonists.
Monville, C., E.M. Torres, and S.B. Dunnett 16

The Corridor Task: A simple test of lateralised response selection sensitive to unilateral dopamine deafferentation and graft-derived dopamine replacement in the striatum.
Dowd, E., C. Monville, E.M. Torres, and S.B. Dunnett 24

Delivery of sonic hedgehog or glial derived neurotrophic factor to dopamine-rich grafts in a rat model of Parkinson's disease using adenoviral vectors. Increased yield of dopamine cells is dependent on embryonic donor age.
Torres, E.M., C. Monville, P.R. Lowenstein, M.G. Castro, and S.B. Dunnett 31

The GDNF family members neurturin, artemin and persephin promote the morphological differentiation of cultured ventral mesencephalic dopaminergic neurons.
Zihlmann, K.B., A.D. Ducray, B. Schaller, A.W. Huber, S.H. Krebs, R.H. Andres, R.W. Seiler, M. Meyer, and H.R. Widmer 42

Evidence for dopaminergic re-innervation by embryonic allografts in an optimized rat model of the Parkinsonian variant of multiple system atrophy.
Puschban, Z., N. Stefanova, Å. Petersén, C. Winkler, P. Brundin, W. Poewe, and G.K. Wenning 54

Co-registration of stereotactic MRI and isofieldlines during deep brain stimulation.
Hemm, S., G. Mennessier, N. Vayssière, L. Cif, and P. Coubes 59

Neural differentiation of mouse embryonic stem cells in chemically defined medium.
Bouhon, I.A., H. Kato, S. Chandran, and N.D. Allen 62

Human embryonic germ cells for future neuronal replacement therapy.
Turnpenny, L., I.T. Cameron, C.M. Spalluto, K.P. Hanley, D.I. Wilson, and N.A. Hanley 76

EGF and FGF-2 responsiveness of rat and mouse neural precursors derived from the embryonic CNS.
Kelly, C.M., P. Tyers, M. ter Borg, C.N. Svendsen, S.B. Dunnett, and A.E. Rosser 83

Astrocytic and neuronal fate of mesenchymal stem cells expressing nestin.
Wislet-Gendebien, S., F. Wautier, P. Leprince, and B. Rogister 95

doi:10.1016/S0361-9230(06)00017-7

Peptide-enhanced cellular internalization of proteins in neuroscience.
Dietz, G.P.H., and M. Bähr 103

Review

Design of shRNAs for RNAi—A lesson from pre-miRNA processing: Possible clinical applications.
Pekarik, V. 115

History of Neuroscience

Georg N. Koskinas (1885–1975) and his scientific contributions to the normal and pathological anatomy of the human brain.
Triarhou, L.C. 121

Review

Marmoset monkey models of Parkinson's disease: Which model, when and why?
Eslamboli, A. 140

Articles

Regulation of cerebral microvascular endothelial cell cyclooxygenase-2 message and activity by blood derived vasoactive agents.
Yakubu, M.A., and C.W. Leffler 150

A versatile, low-cost adaptor for stereotaxic and electrophysiologic spinal preparations in juvenile and adult rodents.
Cunningham, M.G., R.A. Donalds, C.W. Scouten, and M.C. Tresch 157

Spontaneous blinking behaviour in persistent vegetative and minimally conscious states: Relationships with evolution and outcome.
Bonfiglio, L., M.C. Carboncini, P. Bongioanni, P. Andre, F. Minichilli, M. Forni, and B. Rossi 163

The hypothalamopituitary–adrenal axis and alcohol preference.
O'Callaghan, M.J., A.P. Croft, C. Jacquot, and H.J. Little 171

Anticonvulsant action of three neurosteroids against cortical epileptic afterdischarges in immature rats.
Mareš, P. 179

Calcium-binding protein distribution in the retina of strepsirhine and haplorhine primates.
Chiquet, C., O. Dkhissi-Benyahya, and H.M. Cooper 185

Articles

Impairment in event sequencing in disorganised and non-disorganised patients with schizophrenia.
Zalla, T., N. Bouchilloux, N. Labruyere, N. Georgieff, T. Bougerol, and N. Franck 195

Functional frontoparietal connectivity during encoding and retrieval processes follows HERA model. A high-resolution study.
Babiloni, C., F. Vecchio, S. Cappa, P. Pasqualetti, S. Rossi, C. Miniussi, and P.M. Rossini 203

Antibody formation against β-tubulin class III in response to brain trauma.
Škoda, D.K. Kranda, M. Bojar, L. Glosová, J. Bäurle, J. Kenney, D. Romportl, M. Pelichovská, and K. Cvachovec 213

Relation between motion sickness susceptibility and vasovagal syncope susceptibility.
Bosser, G., G. Caillet, G. Gauchard, F. Marçon, and P. Perrin 217

Occurrence of cognitive impairment after age 90: MCI and other broadly used concepts.
Pioggiosi, P.P., D. Berardi, B. Ferrari, R. Quartesan, and D. De Ronchi 227

Learning-dependent activation of Fra-1: Involvement of ventral hippocampus and SNc/VTA complex in learning and habit formation.
Faure, A., F. Conde, F. Cheruel, and N. el Massioui 233

Ultrastructural evidence for direct excitatory retroambiguus projections to cutaneous trunci and abdominal external oblique muscle motoneurons in the cat.
Boers, J., P.A. Kirkwood, H. de Weerd, and G. Holstege 249

Nitric oxide synthesis is required for exercise-induced increases in hippocampal BDNF and phosphatidylinositol 3′ kinase expression.
Chen, M.J., A.S. Ivy, and A.A. Russo-Neustadt 257

Talampanel improves the functional deficit after transient focal cerebral ischemia in rats. A 30-day follow up study.
Erdő, F., P. Berzsenyi, L. Német, and F. Andrási 269

Cocaine-induced sex differences in D1 receptor activation and binding levels after acute cocaine administration.
Festa, E.D., S. Jenab, J. Weiner, A. Nazarian, T. Niyomchai, S.J. Russo, L.M. Kemen, A. Akhavan, H.-B.K. Wu, and V. Quinones-Jenab 277

Visual responses and afferent connections of the n. ventrolateralis thalami (VLT) in the pigeon (*Columba livia*).
Schulte, M., B. Diekamp, M. Manns, A. Schwarz, C. Valencia-Alfonso, J.A. Kirsch, O. Güntürkün, and K. Folta 285

Corrigendum

Corrigendum to "Gene expression profiling reveals the mechanism of action of anticonvulsant drug QYS" [Brain Res. Bull. 66 (2005) 99–105].
Li, X., Q. Yang, and Y. Hu 293

Articles

Microinjection of procaine and electrolytic lesion in the ventral tegmental area suppresses hippocampal theta rhythm in urethane-anesthetized rats.
Orzeł-Gryglewska, J., E. Jurkowlaniec, and W. Trojniar 295

Estrogen and progesterone affect cocaine pharmacokinetics in female rats.
Niyomchai, T., A. Akhavan, E.D. Festa, S.-N. Lin, L. Lamm, R. Foltz, and V. Quiñones-Jenab 310

Elucidating coding of taste qualities with the taste modifier miraculin in the common marmoset.
Danilova, V., and G. Hellekant 315

Looming-sensitive responses and receptive field organization of telencephalic neurons in the pigeon.
Xiao, Q., D.-P. Li, and S.-R. Wang 322

Synthesis, conformational and pharmacological studies of glycosylated chimeric peptides of Met-enkephalin and FMRFa.
Masand, G., K. Hanif, S. Sen, A. Ahsan, S. Maiti, and S. Pasha 329

Enhanced central hypertonic saline-induced activation of angiotensin II-sensitive neurons in the anterior hypothalamic area of spontaneously hypertensive and Dahl S rats.
Kubo, T., and Y. Hagiwara 335

Cholinergic receptor subtypes in the olfactory bulbectomy model of depression.
Slotkin, T.A., and F.J. Seidler 341

Correlative studies support lipid peroxidation is linked to PrP^{res} propagation as an early primary pathogenic event in prion disease.
Brazier, M.W., V. Lewis, G.D. Ciccotosto, G.M. Klug, V.A. Lawson, R. Cappai, J.W. Ironside, C.L. Masters, A.F. Hill, A.R. White, and S. Collins 346

Effects of extremely low-frequency magnetic field in the brain of rats.
Jelenković, A., B. Janać, V. Pešić, D.M. Jovanović, I. Vasiljević, and Z. Prolić 355

Dopamine release in human neocortical slices: Characterization of inhibitory autoreceptors and of nicotinic acetylcholine receptor-evoked release.
Löffler, M., B. Bubl, F. Huethe, U. Hubbe, J.M. McIntosh, R. Jackisch, and T.J. Feuerstein 361

The effect of leptin on penicillin-induced epileptiform activity in rats.
Ayyildiz, M., M. Yildirim, E. Agar, and A.K. Baltaci 374

Protective effect of *S*-allylcysteine on 3-nitropropionic acid-induced lipid peroxidation and mitochondrial dysfunction in rat brain synaptosomes.
Pérez-De La Cruz, V., C. González-Cortés, J. Pedraza-Chaverrí, P.D. Maldonado, L. Andrés-Martínez, and A. Santamaría 379

A comparative study of morphine treatment regimen prior to mating and during late pregnancy.
Yim, A.J., C.M. Miranda-Paiva, J.C. Flório, C.A. Oliveira, A.G. Nasello, and L.F. Felicio 384

Reviews

The role of age, genotype, sex, and route of acute and chronic administration of methylphenidate: A review of its locomotor effects.
Dafny, N., and P.B. Yang 393

Avian influenza and the brain—Comments on the occasion of resurrection of the Spanish flu virus.
Kristensson, K. 406

Articles

Diphenyl diselenide and 2,3-dimercaptopropanol increase the PTZ-induced chemical seizure and mortality in mice.
Brito, V.B., V. Folmer, G.O. Puntel, R. Fachinetto, J.C.M. Soares, G. Zeni, C.W. Nogueira, and J.B.T. Rocha 414

Effects of early-life stress on behavior and neurosteroid levels in the rat hypothalamus and entorhinal cortex.
Avital, A., E. Ram, R. Maayan, A. Weizman, and G. Richter-Levin 419

Melatonin receptor (MT1) knockout mice display depression-like behaviors and deficits in sensorimotor gating.
Weil, Z.M., A.K. Hotchkiss, M.L. Gatien, S. Pieke-Dahl, and R.J. Nelson 425

Dorsal raphe nucleus stimulation modulates the response of layers IV and V barrel cortical neurons in rat.
Sheibani, V., and R. Farazifard 430

Effects of baclofen on reserpine-induced vacuous chewing movements in mice.
Castro, J.P.M.V., R. Frussa-Filho, D.F. Fukushiro, R.H. Silva, W.A. Medrano, R. de A. Ribeiro, and V.C. Abílio 436

Zinc release from Schaffer collaterals and its significance.
Takeda, A., S. Nakajima, S. Fuke, N. Sakurada, A. Minami, and N. Oku 442

Changes in dopamine and acetylcholine in striatum of the awake rat after chronic treatment with a dopamine uptake blocker.
Hernández, L.F., G. Segovia, and F. Mora 448

Only arginine vasopressin, not oxytocin and endogenous opiate peptides, in hypothalamic paraventricular nucleus play a role in acupuncture analgesia in the rat.
Yang, J., W.-y. Liu, C.-y. Song, and B.-c. Lin 453

Transcranial direct current stimulation and the visual cortex.
Antal, A., M.A. Nitsche, and W. Paulus 459

Effect of acute versus chronic theophylline administration on acute restraint stress-induced increase of pentylenetetrazol seizure threshold in mice.
Tchekalarova, J., and V. Georgiev 464

Modulatory role of grape seed extract on age-related oxidative DNA damage in central nervous system of rats.
Balu, M., P. Sangeetha, G. Murali, and C. Panneerselvam 469

Densities of parvalbumin-immunoreactive neurons in non-malformed hippocampal sclerosis- temporal neocortex and in cortical dysplasias.
Zamecnik, J., P. Krsek, R. Druga, P. Marusic, V. Benes, M. Tichy, and V. Komarek 474

Contents of Volume 68 482

Author Index 486

Subject Index 490